

	L #	Hits	Search Text	DBs
1	L1	120841	(generat\$3 conver\$4 transform\$4 translat\$3 map\$4 replac\$5 substitut\$3) near10 (driver software program routine instruction) near20 (perform\$4 operat\$3 execut\$3)	US-PGPUB; USPAT
2	L2	155272	(configur\$5 reconfigur\$5 connect\$4 reconnect\$4 set\$4 reset\$4) near10 (logic circuit arithmetic cell) near20 (calculat\$3 type register dynamic\$4 compatibl\$4)	US-PGPUB; USPAT
3	L3	5931	((generat\$3 conver\$4 transform\$4 translat\$3 map\$4 replac\$5 substitut\$3) near10 (driver software program routine instruction) near20 (perform\$4 operat\$3 execut\$3)).ab,ti.	US-PGPUB; USPAT
4	L4	8514	((configur\$5 reconfigur\$5 connect\$4 reconnect\$4 set\$4 reset\$4) near10 (logic circuit arithmetic cell) near20 (calculat\$3 type register dynamic\$4 compatibl\$4)).ab,ti.	US-PGPUB; USPAT
5	L5	35	L3 and L4	US-PGPUB; USPAT
6	L6	332	L1 near99 L2 not L5	USPAT
7	L7	5173	(configur\$5 reconfigur\$5) near20 (compatib\$5 dynamic\$4) near10 (logic circuit arithmetic cell)	US-PGPUB; USPAT
8	L8	29485	(connect\$4 reconnect\$4 set\$4 reset\$4) near10 (arithmetic cell) near20 (calculat\$3 type register)	US-PGPUB; USPAT
9	L9	658	(configur\$5 reconfigur\$5) near20 (compatib\$5 dynamic\$4) near10 (logic circuit arithmetic cell)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
10	L10	11135	(connect\$4 reconnect\$4 set\$4 reset\$4) near10 (arithmetic cell) near20 (calculat\$3 type register)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
11	L11	124047	(generat\$3 conver\$4 transform\$4 translat\$3 map\$4 replac\$5 substitut\$3 equivalent\$3) near10 (driver software program routine instruction) near20 (perform\$4 operat\$3 execut\$3)	US-PGPUB; USPAT
12	L12	33389	(generat\$3 conver\$4 transform\$4 translat\$3 map\$4 replac\$5 substitut\$3 equivalent\$3) near10 (driver software program routine instruction) near20 (perform\$4 operat\$3 execut\$3)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
13	L13	120	L11 near99 (L7 L8)	US-PGPUB; USPAT
14	L14	32983	(generat\$3 conver\$4 transform\$4 translat\$3 map\$4 replac\$5 substitut\$3) near10 (driver software program routine instruction) near20 (perform\$4 operat\$3 execut\$3)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
15	L15	87243	(configur\$5 reconfigur\$5 connect\$4 reconnect\$4 set\$4 reset\$4) near10 (logic circuit arithmetic cell) near20 (calculat\$3 type register dynamic\$4 compatibl\$4)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
16	L16	111	L14 near99 L15	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
17	L17	181	L12 and (L9 L10) not L16	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
18	L18	10049	(generat\$3 conver\$4 transform\$4 translat\$3 map\$4 replac\$5 substitut\$3 equivalent\$3) near10 (driv\$3 near5 (software program routine instruction))	US-PGPUB; USPAT
19	L19	191	L18 and (L7 L8) not (L5 L6 L13)	US-PGPUB; USPAT
20	L20	1868	(generat\$3 conver\$4 transform\$4 translat\$3 map\$4 replac\$5 substitut\$3 equivalent\$3) near10 (driv\$3 near5 (software program routine instruction))	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
21	L21	1	L20 and (L9 L10) not (L16 L17)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB